

TUNGSRAM™

Innovation is our heritage
EST. 1896

LED Inspection lamps



automotive.tungsr.com



High quality white LED lights for Automotive garages and many other industries

- Exceptional illumination to light up your working area.
- Hands-free lamps which incorporate hooks and magnets to secure them. They are equipped with a long-lasting and rechargeable battery and can be charged via USB.
- Storage temperature: -40 °C to 60 °C
Operation temperature: -10 °C to 40 °C



LED Inspection lamps

| Type | CCT (K) | Lumens | Pack unit | Fig. | SKU | EAN |
|-------|---------|----------|-----------|------|----------|---------------|
| 63000 | 6000 | 1000/500 | 1/12 pcs | 1 | 93114126 | 5994100032120 |
| 63010 | 5700 | 240/140 | 1/30 pcs | 2 | 93114055 | 5994100029564 |



1000 LUMEN INSPECTION LAMP

1000 Lumen high and 500 Lumen low light

3 hours 1000 lumens operation

Up to 5 hours operation (low) time

6000 K white light

Hands-free lamps with hooks and strong magnet to secure them

Can be charged using the AC/DC adapter or connecting to the docking station

Robust design which protects from dust and water (IP66)



240 LUMEN INSPECTION LAMP

240 Lumen High and 140 Lumen Low light

5700 K white light

Can be charged using the USB lead

Up to 7 hours operation (low) time

Robust design which protects from dust and water (IP66)



automotive.tungram.com

We in Tungram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungram cannot accept any liability arising from the reliance on such data to the extent permitted by law.

07/2019